

SPECIFICATIONS

	Double Cab	Single Cab
	4WD	4WD
Transmission	6 Speed Automatic / 6 Speed Manual	6 Speed Manual

Dimensions & Weights

Overall	Length (mm)	5325	
	Width (mm)	1815, 1885	1815
	Height (mm)	1815	1795
Wheelbase		3085	
Min. Running Ground Clearance	(mm)	310	227
Deck Inside: Length X Width X Height	(mm)	1555 X 1575 X 480	2350 X 1575 X 480
Gross Vehicle Weight	Total (kg)	2910	2870
Curb Weight	(kg)	2000 / 2060 / 2015	1915


Chassis

Brakes	Front	Ventilated Disc Brake	
	Rear	Drum Brake	
Suspension Type	Front	Double Wishbone	
	Rear	Leaf Spring Rigid Axle	
Minimum Turning Radius	(Tires)	6:4	6:3
Fuel Tank Capacity	(Liters)	80	
Tires		265 / 60R / 18, 265 / 65R / 17	225 / 70R / 17

Engine

Type	1GD-FTV (High)	2GD-FTV (High)	2GD-FTV (High)
Pistone Displacement	2755	2393	2393
Fuel System	Common Rail Direct Fuel Injection		
Max. Output (SAE net)	(kw / rpm) 150 / 3400	110 / 3400	110 / 3400
Max. Torque	(nm / rpm) 500 / 1600	400 / 1600	400 / 1600

- Additions of extra features may change figures in this chart
- Toyota Motor Corporation reserves the right to alter any details of specifications and equipment without notice. Details of specifications and equipment are also subject to change to suit local conditions and requirements. Please inquire at your local dealer for details of any such changes that might be required for your area
- Vehicles pictured and specifications detailed in this catalogue may vary from models and equipment available in your area.
- Vehicle body colour might differ slightly from the printed photos in this catalogue.



TOYOTA



TOYOTA LANKA

Toyota Plaza, No.337, Negombo Road, Wattala, Sri Lanka
Email: sales_inquiries@toyota.lk
Web: www.toyota.lk Tel: 011 2939000

COLOURS



Dark Blue Mica (8X8)



Silver Metallic (1L0)



Gray Metallic (1G3)



Super White II (040)



White Pearl Crystal Shine (089)



Attitude Black Mica (218)

HILUX



3 YEARS /
100,000KM
MANUFACTURER
WARRANTY

Move your world

A New Era for Pickup
Every Inch a Hilux





* The mechanical key is built into the Electronic Key. Electronic Key caution: Radio waves may affect electric medical devices. Individuals with devices including cardiac pacemaker implants should keep them from coming close to the Smart Entry & Start System antennas. The transmission of radio waves can be disabled. Please inquire at your local dealer for details.

Note: Please inquire at your local dealer for details on the availability of features.



Audio system



Steering wheel switches: The 4-direction switch integrated in the steering wheel makes it easy to adjust the multi-information display among other functions



Smart Entry & Start System: When carrying the Electronic Key, you can lock/unlock the doors and start/stop the engine.*

Spacious and inviting, the refined comfort and smart functionality of the cabin enrich the quality of life of all occupants.



Front cupholders:
Can also be used for storing small items.



Upper box:
This convenient box features integrated air conditioning vents to keep drinks stored inside cool or warm.



Air conditioner:
Combines powerful performance with energy-efficient operation. Independent vents in the rear seats contribute to the comfort of all occupants.



Assist grips:
Strategically positioned assist grips make getting in and out of the spacious cabin easy.



Rear seats:
The 60/40 split seat cushions tip up to accommodate a range of passenger and load combinations, and access to two storage spaces under the seats for valuables and small items. The wide center armrest has two integrated cupholders.



Note: Please inquire at your local dealer for details on the availability of features.


Leap a step ahead.
Infuse a bold presence into everything you do.



DOUBLE CAB - 4 W D




Double the fun. Dramatically expand your limits for sport and pleasure.



SINGLE CAB - 4 W D



Built for work. Take a can-do approach for carrying varied loads whatever the task.



Turbo diesel engines feature direct fuel injection by common rail into the cylinders. This precisely controls the air-fuel ratio, contributing to the excellent response and fuel efficiency. A gasoline engine with Dual VVT-i (Variable Valve Timing-intelligent) delivers increased torque and output, excellent fuel economy and reduced emissions.



1GD-FTV (High)

2.8-liter VN Turbo Diesel with Inter Cooler
150kW/3000-3400rpm (Automatic transmission)
500Nm/1600-2800rpm (Automatic transmission)

150kW/3400rpm (Manual transmission)
420Nm/1400-3400rpm (Manual transmission)

2GD-FTV (High/Low)

2.4-liter VN Turbo Diesel with Inter Cooler
110kW/3400rpm
400Nm/1600-2000rpm (High)
343Nm/1400-2800rpm (Low)



6 Super ECT (Electronic Controlled Transmission): A super intelligent 6-speed automatic transmission produces outstanding driving performance and fuel efficiency. In addition, the drive mode switch allows the driver to select between Eco or Power Mode to suit the driving conditions.

Tackle the rough, relish the smooth.

Powerful performance generates an exciting advantage.

